

Material: 60083392

Silicone Addition Transparent B Fast

Version: 1.0 (REG\_EUROPE)

Date of print: 20.06.2012

Date of last alteration: 07.02.2012

| 1.    | SECTION 1: Identification of the substance/mixture and of the company/undertaking       |                                  |  |  |
|-------|---|----------------------------------|--|--|
| 1.1   | Product identifie   | r                                |  |  |
|       | Commercial proc   | duct name:                       | Silicone Addition Transparent B Fast   |  |
| 1.2   | Relevant identifie  | ed uses of the substance or m    | nixture and uses advised against   |  |
|       | Industrial.<br>Raw material for:  | elastomer products .             |  |  |
| 1.3   | Details of the supplier of the safety data sheet  |                                  |  |  |
|       | Manufacturer/distr<br>Street/POB-No.:<br>State/postal code/<br>Telephone:<br>Telefax:   |                                  | Nedform BV<br>Hofdwarsweg 20<br>6161DD Geleen, The Netherlands<br>0031 (0) 46 410 6260<br>0031 (0) 46 410 6270 |  |
|       | Information about   | the Safety Data Sheet:           | Telephone<br>Telefax<br>eMail  | 0031 (0) 46 410 6260<br>0031 (0) 46 410 6270<br>info@nedform.com |
| 1.4   | Emergency telep   | hone number                      |  |  |
|       | Emergency Infor<br>Emergency Infor  | mation:<br>mation (internat.):   | plant fire brigade<br>National Response Center   | +49 8677 83-2222<br>+49 621 60-43333                             |
| 2.    | SECTION 2: Hazards identification   |                                  |  |  |
| 2.1   | Classification of the substance or mixture  |                                  |  |  |
|       | Classification (67  | 7/548/EEC, 1999/45/EC):          |  |  |
|       | R-Phrase  | Description                      |  |  |
|       | R-  | -                                |  |  |
|       | This product is not a dangerous preparation within the meaning of Directive 1999/45/EC. |                                  |  |  |
| 2.2   | Label elements  |                                  |  |  |
|       |   | B/EEC, 1999/45/EC):              |  |  |
|       | R-Phrase<br>R-  | Description<br>-                 |  |  |
|       | S-Phrase  | Description                      |  |  |
|       | S-  | -                                |  |  |
| 2.3   | Other hazards   |                                  |  |  |
|       | No data are availa  | able.                            |  |  |
| 3.    | SECTION 3: Composition/information on ingredients                                       |                                  |  |  |
| 3.1   | Substances  | Substances                       |  |  |
|       | not applicable  |                                  |  |  |
| 3.2   | Mixtures  |                                  |  |  |
| 3.2.1 | Chemical charac   | terization (preparation)         |  |  |
|       | Polydimethylsiloxa  | ane with functional groups and a | auxiliaries for addition cross-linking   |  |
| 4.    | SECTION 4: First aid measures   |                                  |  |  |

#### 4.1 Description of first aid measures

#### General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).



Material: 60083392

Silicone Addition Transparent B Fast

Version: 1.0 (REG\_EUROPE)

Date of print: 20.06.2012

Date of last alteration: 07.02.2012

#### After inhalation: Provide fresh air

## After contact with the skin:

Wipe off excess material with cloth or paper. Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

#### After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

#### After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data are available.

## 5. SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media:

water mist , extinguishing powder , alcohol-resistant foam , carbon dioxide , sand .

# Extinguishing media which must not be used for safety reasons: water spray , water jet .

#### 5.2 Special hazards arising from the substance or mixture

not applicable

#### 5.3 Advice for firefighters

Special protective equipment for fire fighting: Use respiratory protection independent of recirculated air.

## 6. SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

If material is released indicate risk of slipping. Do not walk through spilled material.

#### 6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Contain any fluid that runs out using suitable material (e.g. earth). Close leak if possible without risk.

#### 6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. For small amounts: Absorb with a liquid binding material such as diatomaceous earth and dispose of according to local/state/federal regulations. Contain larger amounts and pump up into suitable containers. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

#### 6.4 Reference to other sections

Relevant information in other sections have to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

# 7. SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

## Precautions for safe handling:

Spilled substance increases risk of slipping.



#### Material: 60083392

Silicone Addition Transparent B Fast

Version: 1.0 (REG\_EUROPE)

Date of print: 20.06.2012

Date of last alteration: 07.02.2012

**Precautions against fire and explosion:** Observe the general rules for fire prevention.

#### 7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels: none known

Advice for storage of incompatible materials: not applicable

**Further information for storage:** Keep container tightly closed. Store in a dry and cool place.

#### 7.3 Specific end use(s)

No data are available.

## 8. SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### 8.2 Exposure controls

#### 8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat or drink when handling.

#### Personal protection equipment:

#### **Respiratory protection**

# not required .

#### Hand protection

Recommendation: Protective gloves made of butyl rubber , nitrile rubber protective gloves .

#### Eye protection

Recommendation: protective goggles .

#### 8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters and soil.

# 9. SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

#### General information:

| Physical state / form | liquid     |
|-----------------------|------------|
| Colour                | colourless |
| Odour                 | odourless  |

#### Important information about the protection of health, safety and the environment:

| Property:                      | Value:                          | Method:     |
|--------------------------------|---------------------------------|-------------|
| Melting point / melting range  | not applicable                  |             |
| Boiling point / boiling range  | not applicable                  |             |
| Flash point                    | > 200 °C                        | (DIN 51376) |
| Ignition temperature           | > 450 °C                        | (DIN 51794) |
| Lower explosion limit (LEL)    | not applicable                  |             |
| Upper explosion limit (UEL)    | not applicable                  |             |
| Vapour pressure                | not applicable                  |             |
| Density                        | 0,97 g/cm <sup>3</sup> at 20 °C | (DIN 51757) |
| Water solubility / miscibility | virtually insoluble at 20 °C    |             |
| pH-Value                       | not applicable                  |             |
| Viscosity (dynamic)            | 1000 mPa.s at 23 °C             |             |



Material: 60083392

Silicone Addition Transparent B Fast

Version: 1.0 (REG\_EUROPE)

Date of print: 20.06.2012

Date of last alteration: 07.02.2012

#### 9.2 Other information

No data are available.

## **10. SECTION 10: Stability and reactivity**

#### 10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

#### 10.4 Conditions to avoid

none known

#### 10.5 Incompatible materials

none known

#### 10.6 Hazardous decomposition products

If stored and handled properly: none known . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150  $^{\circ}$ C (302  $^{\circ}$ F) through oxidation.

## **11. SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### 11.1.1 Acute toxicity

#### Assessment:

Based on the available data acute toxic effects are not expected after single oral exposure. Based on the available data acute toxic effects are not expected after single dermal exposure.

#### Product details:

| Route of exp | posure Result/Effect            | Species/Test system | Source                   |
|--------------|---------------------------------|---------------------|--------------------------|
| oral         | LD <sub>50</sub> : > 5000 mg/kg | rat                 | Conclusion by<br>analogy |
| dermal       | LD <sub>50</sub> : > 2008 mg/kg | rat                 | Conclusion by analogy    |

#### 11.1.2 Skin corrosion/irritation

#### Assessment:

Based on the available data a clinically relevant skin irritation hazard is not expected.

#### Product details:

| Result/Effect  | Species/Test system | Source        |
|----------------|---------------------|---------------|
| not irritating | rabbit              | Conclusion by |
| -              |                     | analogy       |

#### 11.1.3 Serious eye damage / eye irritation

#### Assessment:

Based on the available data a clinically relevant eye irritation hazard is not expected.

#### Product details:

| Result/Effect  | Species/Test system | Source        |
|----------------|---------------------|---------------|
| not irritating | rabbit              | Conclusion by |
|                |                     | analogy       |

#### 11.1.4 Respiratory or skin sensitization

#### Assessment:

Based on the available data a sensitization reaction is not expected from this product.



#### Material: 60083392

Version: 1.0 (REG\_EUROPE)

Silicone Addition Transparent B Fast

Date of print: 20.06.2012

Date of last alteration: 07.02.2012

## Product details:

| Route of exp | osure Result/Effect | Species/Test system | Source        |
|--------------|---------------------|---------------------|---------------|
| dermal       | not sensitizing     | guinea-pig; Bühler  | Conclusion by |
|              |                     |                     | analogy       |
|              |                     |                     | OECD 406      |

## 11.1.5 Germ cell mutagenicity

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

## 11.1.6 Carcinogenicity

## Assessment:

For this endpoint no toxicological test data is available for the whole product.

## 11.1.7 Reproductive toxicity

## Assessment:

For this endpoint no toxicological test data is available for the whole product.

## 11.1.8 Specific target organ toxicity (single exposure)

## Assessment:

For this endpoint no toxicological test data is available for the whole product.

## 11.1.9 Specific target organ toxicity (repeated exposure)

## Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.10 Aspiration hazard

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

# 12. SECTION 12: Ecological information

## 12.1 Toxicity

#### Assessment:

Evaluation on basis of physical-chemical properties: No expected damaging effects to aquatic organisms. According to current knowledge adverse effects on water purification plants are not expected.

#### 12.2 Persistence and degradability

#### Assessment:

Elimination by adsorption to activated sludge. Biologically not degradable.

### 12.3 Bioaccumulative potential

## Assessment:

Bioaccumulation is not expected to occur.

## 12.4 Mobility in soil

## Assessment:

Forms thin oil film on surface of water. Absorbed by floating particles. Separation by sedimentation.

#### 12.5 Other adverse effects

none known .



#### Material: 60083392

Version: 1.0 (REG\_EUROPE)

Silicone Addition Transparent B Fast

Date of print: 20.06.2012

Date of last alteration: 07.02.2012

# **13.** SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

## 13.1.1 Material

# Recommendation:

Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable governmental regulations.

## 13.1.2 Uncleaned packaging

# Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations.

## 14. SECTION 14: Transport information

#### 14.1–14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

## Road ADR:

Valuation ..... Not regulated for transport

Railway RID: Valuation ...... Not regulated for transport

Transport by sea IMDG-Code: Valuation ...... Not regulated for transport

## Air transport ICAO-TI/IATA-DGR:

Valuation ..... Not regulated for transport

# 14.5 Environmental hazards

Hazardous to the environment: no

#### 14.6 Special precautions for user

Relevant information in other sections have to be considered.

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk transport in tankers is not intended.

# 15. SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

## 15.2 Other international regulations

#### Details of international registration status:

Listed on or in accordance with the following inventories: EINECS - Europe ECL - Korea ENCS - Japan AICS - Australia IECSC - China DSL - Canada PICCS - Philippines TSCA - USA



## Material: 60083392

Silicone Addition Transparent B Fast

Version: 1.0 (REG\_EUROPE)

Date of print: 20.06.2012

Date of last alteration: 07.02.2012

# 16. SECTION 16: Other information

#### 16.1 Material

The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. Properties of the product are to be found in the respective product leaflet.

## 16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

# - End of Safety Data Sheet -