

SDS Service Summary

No.: CANEC25000544513 Date: 17 Jan 2025

Page 1 of 1

SGS Job No.	:	SZP25-000756
Product Name	:	Silicon Glue Part A
Manufacturer / Supplier	:	SHENZHEN JIANGHE NEW MATERIALS TECHNOLOGY CO., LTD
Composition/Ingredient of product (as per applicant submission)	:	See section 3 Composition/information on ingredients on the SDS
Job Receiving Date	:	07 Jan 2025
SDS Preparation Period	:	07 Jan 2025-10 Jan 2025
Service Requested	:	Preparation of Safety Data Sheet (SDS) for the product with submitted information, with calculation of the classification and labeling requirement according to the submitted composition and US Hazard Communication Standard 29 CFR 1910.1200.
Summary	:	As per request, the contents and formats of the SDS are prepared in accordance with US Hazard Communication Standard 29 CFR 1910.1200, and is provided per attached.
Remark	:	Information of this SDS refer to SDS CANEC25000544501.

Disclaimer

This Safety Data Sheet (SDS) is provided to applicant to fulfill US Hazard Communication Standard 29 CFR 1910.1200 and communicate the hazard information of chemicals through the supply chain to ensure safe use. It is not a test report or a certificate ensuring the safety of a product.

SGS has consolidated product information based on documents provided by Applicant (i.e. product name, the supplier details, product composition, available physical data, etc.) without independent verification from SGS. The information is provided without any warranty, express or implied, regarding its correctness.

Zuguan

Zm Guan Project Engineer

Printing date 01/09/2025

Version number 1

Reviewed on 01/08/2025

1 Identification

- · Product identifier
- · Trade name: Silicon Glue Part A
- · Recommended use of the chemical and restrictions on use:
- · Application of the substance / the preparation: Sealing waterproof and decorative
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: SHENZHEN JIANGHE NEW MATERIALS TECHNOLOGY CO., LTD
- · Full address:
- 1008,BUILDING 1,COFCO YUNJING PLAZA,HESHUIKOU COMMUNITY,MATAN STREET, GUANGMING DISTRICT,SHENZHEN
- · Phone number: 15989551716
- · Email: jxchenh@163.com
- · Other U.S. contact point: Not available
- Further information obtainable from: SHENZHEN JIANGHE NEW MATERIALS TECHNOLOGY CO., LTD
- Emergency telephone number: Poison Center Tel: +1 800 222 1222

· Reference Number: CANEC25000544513,SZP25-000756

2 Hazard(s) identification

- *Classification of the substance or mixture The product is not classified according to OSHA Hazard Communication Standard (29 CFR 1910.1200).*
- Information concerning particular hazards for human and environment: The product has not to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).
- · Classification system:

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

· Label elements

- · Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard-determining components of labeling: Not applicable
- · Hazard statements Not applicable
- · Precautionary statements Not applicable

• *Hazards not otherwise classified (HNOC)* No further relevant information available.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:

Mixture of the substances listed below with nonhazardous additions. For the wording of the listed hazard statements refer to Section 16.

· Composition:

CAS: 68083-18-1	Polysiloxanes, di-Me, Me vinyl, vinyl group-terminated	66%
CAS: 63148-62-9	Polydimethylsiloxane	17.9%
CAS: 14464-46-1	Cristobalite	16%
	(Contd.	on page 2)

Printing date 01/09/2025

Version number 1

Reviewed on 01/08/2025

Trade name: Silicon Glue Part A

 CAS: 12082-47-2
 Bis(n2-ethylene)(pentane-2,4-dionato-O,O')rhodium
 0.1%

 Skin Irritation 2, H315; Eye Irritation 2A, H319
 0.1%

4 First-aid measures

- · Description of first aid measures
- · General description: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

• Most important symptoms and effects, both acute and delayed No further relevant information available.

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• Special hazards arising from the substance or mixture: No further relevant information available.

- · Special protective equipment and precautions for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures: Not required.

- Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7 Handling and storage

- · Precautions for safe handling:
- No special measures required.
- For the general occupational hygienic measures refer to Section 8.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

(Contd. on page 3)

Printing date 01/09/2025

Version number 1

Reviewed on 01/08/2025

Trade name: Silicon Glue Part A

(Contd. of page 2)

Components with limit values that require monitoring at the workplace:		
CAS: 14464-46-1 Cristobalite (16%)		
PEL (USA)	Long-term value: 0.05* mg/m ³ *resp. dust;½ value from resp.dust formulae Quartz	
REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m ³ *respirable particulate matter, A2	
PEL (USA): REL (USA):	information Guide to Occupational Exposure Values (OSHA PELs) Guide to Occupational Exposure Values (NIOSH RELs) Guide to Occupational Exposure Values (TLV)	
Additional i	information: The lists that were valid during the creation were used as basis.	
safety meas	he composition shown in Section 3, the following measures are suggested for occupational ure. e engineering controls: See Section 7 for information about design of technical facilities.	
	protection measures, such as personal protective equipment equipment: Not required. ction:	
	Protective gloves	
	naterial has to be impermeable and resistant to the product/ the substance/ the preparation.	

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection: Goggles recommended during refilling.

General Information Appearance:		
Form:	Liquid	
Color:	Colourless	
Odor:	Odorless	
Odor threshold:	Not available	
pH-value:	Not available	
Change in condition		
Melting point/Freezing point:	Not available	

Printing date 01/09/2025

Version number 1

Reviewed on 01/08/2025

Trade name: Silicon Glue Part A

	(Contd. of page)
Initial boiling point and boiling range	: Not available
· Flash point:	Not available
· Flammability (solid, gas):	Not available
• Auto-Ignition temperature:	Not available
· Decomposition temperature:	Not available
· Lower and upper explosion limit	
Lower:	Not available
Upper:	Not available
· Vapor pressure:	Not available
· Density:	Not available
· Relative density:	Not available
· Vapor density:	Not available
· Evaporation rate:	Not available
· Solubility in / Miscibility with	
Water:	Not available
· Partition coefficient (n-octanol/water):	Not available
· Viscosity:	
Dynamic:	Not available
Kinematic:	Not available
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity: No further relevant information available.

· Chemical stability: No further relevant information available.

· Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: Not available
- · Skin corrosion/irritation: Irritating effect possible.
- · Serious eye damage/irritation: Irritating effect possible.
- · Respiratory or skin sensitization: Sensitization possible.

· Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

The product is not subject to classification according to internally approved calculation methods for preparations.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

14464-46-1 Cristobalite

(Contd. on page 5)

Printing date 01/09/2025

Version number 1

Reviewed on 01/08/2025

Trade name: Silicon Glue Part A

(Contd. of page 4)

Κ

· NTP (National Toxicology Program)

14464-46-1 Cristobalite

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

· Persistence and degradability: No further relevant information available.

· Bioaccumulative potential: No further relevant information available.

• *Mobility in soil:* No further relevant information available.

• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	Not applicable
UN proper shipping name	
DOT, IMDG, IATA	Not applicable
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	Not applicable
Label	-
Packing group	
DOT, IMDG, IATA	Not applicable
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Not applicable

(Contd. on page 6)

Printing date 01/09/2025

Version number 1

Reviewed on 01/08/2025

Trade name: Silicon Glue Part A

(Contd. of page 5)

15 Regulatory information

· Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
68083-18-1 Polysiloxanes, di-Me, Me vinyl, vinyl group-terminated	ACTIVE
63148-62-9 Polydimethylsiloxane	ACTIVE
14464-46-1 Cristobalite	ACTIVE
Proposition 65	
· Chemicals known to cause cancer:	
14464-46-1 Cristobalite	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· New Jersey Right-to-Know List:	
14464-46-1 Cristobalite	
· New Jersey Special Hazardous Substance List:	
14464-46-1 Cristobalite	CA
Pennsylvania Right-to-Know List:	
14464-46-1 Cristobalite	
Pennsylvania Special Hazardous Substance List:	
None of the ingredients is listed.	
Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	A.C.
14464-46-1 Cristobalite	A2

16 Other information

· Relevant hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions (Contd. on page 7)

Printing date 01/09/2025

Version number 1

Reviewed on 01/08/2025

Trade name: Silicon Glue Part A

(Contd. of page 6)

or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Date of preparation / last revision 01/09/2025

End of document